



# BANDPASS FILTERS

Center Frequency (MHz)	Part Number	Insertion Loss (dB)	VSWR (∞:1)	Rejection (dB) (1)	From (MHz) (1)	To (MHz) (1)	Rejection (dB) (2)	From (MHz) (2)	To (MHz) (2)	Rejection (dB) (3)	From (MHz) (3)	To (MHz) (3)	Size (L) (inches)	Size (W) (inches)	Size (D) (inches)
60	TBP-L-00250	1.75		12	54	54									
60	TBP-L-00720	3	1.5	35	100	100	35	200	200						
60	TBP-L-12613	3	1.5	30	20	40	30	80	200						
60	TBP-L-14518	2	1.5	50	10	10	50	110	110						
60	TBP-L-14519	2	1.5	50	35	35	50	85	85						
67.5	TBP-L-14517	2.5	1.5	40	42.5	42.5	40	92.5	92.5						
67.5	TBP-L-14811	4	1.5	40	0	36.5	40	98.5	265	60	265	2500			
67.5	TBP-L-15242	2.5	1.5	85	42.5	42.5	40	92.5	92.5						
67.5	TBP-L-15275	2.5	1.5	40	42.5	42.5	40	92.5	92.5						
70	TBP-L-14404	1.5	1.22	30	30	30	12	40	40	8	100	100			
70	TBP-L-14458	1.5	1.5	12	40	40	8	100	100	17	110	110			
70	TBP-L-14514	6.5	1.5	20	65.5	65.5	20	74.5	74.5						
70	TBP-L-14535	3	1.7	55	20	20	50	120	120						
70	TBP-L-14868	1	1.5	20	0	10	20	190	1000						
70	TBP-L-15133	1.8	1.5	20	50	50	20	90	90	60	30	30			
70	TBP-L-15264	4	1.5	50	46	46	45	90	90						
70	TBP-L-15267	2	1.5	50	34	34	30	105	105						
70	TBP-L-15423	1	2	30	40	40	20	100	100						
70	TBP-L-15575	3.7	1.5	49	55		39	85							
75	TBP-L-15044	3	1.5	70	1	40	70	140	300						
77.4	TBP-L-12821		1.5	48	100	300									
77.5	TBP-L-15131	3	1.5	60	53	53	60	96	96						
80	TBP-C-14944	4	1.8	20	64	64	55	0	50	55	115	2000			
80	TBP-L-14892	4	1.8	55	0	50	55	115	2000						
80	TBP-L-14961	2	1.5	60	30	30	60	218	218						
86	TBP-L-15566	4	1.43	10	66	76	6	96	106	28	106	116			
87.5	TBP-C-14970	2	1.288	40	1	1	40	188.25	12000						
98.5	TBP-L-14753	6	1.43	50	0	79	50	117	500						
100	TBP-L-12619	6.6	1.5	40	90	90	40	175	175						
100	TBP-L-14960	2	1.5	60	37	37	60	272	272						
100	TBP-L-15228	5	1.5	40	80	80	40	125	125						
117	TBP-L-15323	5	1.5	100	95	95	130	138	138						
124.34	TBP-L-14343	3.5	1.29	35	99.34	99.34	35	149.34	149.34	55	74.34	74.34			
130	TBP-L-14539	3	1.5	30	85	85	30	170	170						
135	TBP-L-15229	2.5	1.5	40	90	90	40	250	250						
137.5	TBP-L-14441	6.5	1.5	70	90	90	70	180	180						
137.5	TBP-L-14442	3.2	1.5	48	90	90	48	180	180						
137.5	TBP-L-14564	3	4.5	40	117.5	117.5	40	157.5	157.5	50	112.5	112.5			
140	TBP-L-14869	1	1.5	20	0	80	20	250	1000						
140	TBP-L-15422	1	2	35	75	75	20	200	200						

# BANDPASS FILTERS

Center Frequency (MHz)	Part Number	Insertion Loss (dB)	VSWR (∞:1)	Rejection (dB) (1)	From (MHz) (1)	To (MHz) (1)	Rejection (dB) (2)	From (MHz) (2)	To (MHz) (2)	Rejection (dB) (3)	From (MHz) (3)	To (MHz) (3)	Size (L) (inches)	Size (W) (inches)	Size (D) (inches)
142.5	TBP-L-15155	1	1.5	70	40	40	70	277.5	4000						
146	TBP-L-10479	0.5	1.5	40	0	88	40	225	1000				5	1.75	1.75
146	TBP-L-15056	3	1.5	50	34	34	30	180	180	50	216	216			
146	TBP-L-15056	3	1.5	50	34		30	180		50	216				
146	TBP-L-15426	0.5	1.5	40	88	88	40	225	225						
146.4	TBP-L-15006	3	1.5	50	34	34	30	180	180	50	216	216			
150	TBP-L-02670	2.5	1.25	40	132	132	40	168	168	60	120	120			
150	TBP-L-14764	2	1.5	40	300	300	50	400	1000	50	0	50			
153	TBP-L-15421	1.5	1.5	30	100	100	15	120	120	20	190	190			
153.6	TBP-L-14786	8	1.5	40	0	143.7696	23	168	168						
153.675	TBP-L-14788	8	1.5	40	0	143.7696	23	168	168						
155	15171	1.4	1.5	28	0	133	28	177	2500				3.62	1	1
160	TBP-L-00110	2.2		80	0	90	80	230	1000						
160	TBP-L-00120	9	1.5	70	1	1	70	145	145	70	175	175			
160	TBP-L-00140	5	1.7	70	145	145	70	180	180	70	400	400			
160	TBP-L-00150	3	1.5	70		120	70	220	500						
160	TBP-L-00160	10		70	0	150	70	175	400						
160	TBP-L-00540	1		30	124	124	30	196	196						
160	TBP-L-12295	1	1.5	20	260		40	1000	1150	10	1600	2500			
160	TBP-L-12297	1.5	1.5	122.5	122.5	122.5	7	197.5	197.5						
160	TBP-L-12397	8	1.5	60	140	140	60	180	180	70	100	130			
160	TBP-L-15394	5	1.8	60	140	140	60	180	180						
160	TBP-S-10560	21	2	55	100	151.7	55	168.3	200				0.787	0.496	0.181
160	TBP-S-10561	22	2	35	100	156.3	35	163.7	167.9	55	168	172	0.787	0.496	0.181
168	TBC168-20-8SS1	1.4	1.5	30	150		20	151		20	182		4.5	1.5	0.5
168	TBC168-20-8SS1	1	1.5	40	150		30	151		20	182		10.688	1.25	1.25
168.5	TBP-L-15397	1	1.5	20	88	88	20	260	260						
175	TBP-L-15215	2	1.45	15	100	100	15	245	1000						
175	TBP-L-15460	1.8	1.43	1.75	130	130	1.75	220	220	15	245	245			
177	TBA177-6-3EF1	1.4	1.5	28	0	155	28	195	2500				4.37	1	1
180	TBP-L-14983	2	1.5	40	240	240	70	270	480	60	480	1000			
180	TBP-L-14983	2	1.5	40	240		70	270	480	60	480	1000			
180	TSC180-300-6SS1	1	1.99	10	360	360	20	390	390	520	30	30	2.491	0.42	0.38
184.35	TBP-L-15214	2	1.45	15	158	158	15	211	1000						
185	TBP-L-14175	3	2	50	0	125	50	245	5000						
185	TBP-L-14176	5	2	50	0	165	50	205	5000						
185	TBP-L-14183	4	2	50	0	145	50	230	5000						
186	TBP-L-14772	1	1.5	40	93	93	30	279	373						
186	TBP-L-15026	1.5	1.5	55	93	93	60	280	280	55	350	2000			
186	TBP-L-15537	1.5	1.5	55	93	93	60	280	280	55	350	2000			

# BANDPASS FILTERS

Center Frequency (MHz)	Part Number	Insertion Loss (dB)	VSWR (∞:1)	Rejection (dB) (1)	From (MHz) (1)	To (MHz) (1)	Rejection (dB) (2)	From (MHz) (2)	To (MHz) (2)	Rejection (dB) (3)	From (MHz) (3)	To (MHz) (3)	Size (L) (inches)	Size (W) (inches)	Size (D) (inches)
187.5	TBP-L-14835	1.5	1.5	60	100	100	50	224	224						
187.8	TBP-L-14625	4.5	1.5	50	85.15	102.65	50	255.45	307.95	30	340.6	410.6			
188	TBP-L-14836	1	1.5	60	52	52	60	600	600						
188	TBP-L-14841	1	1.5	60	60	60	60	600	600						
190	TBP-L-14494	3	1.5	55	30	30	55	350	350						
193.5	TBP-L-15280	4.5	1.5	50	178	178	50	208	208						
200	TBP-L-12243	6	2	40	168	168	40	232	232	60	249.5	249.5			
200	TBP-L-14904	2.5	1.35	45	100	100	45	300	300						
200	TBP-L-15233	2.5	1.5	40	150	150	40	320	320						
200	TBP-L-15238	2	1.5	40	150	150	40	320	320						
205	TBP-L-10018	1		40	180		40	225					4	0.94	0.94
206	TBP-L-15066	3	1.5	60	10	150	60	250	1000						
217	TBP-L-14971	2.6	1.288	40	1	164.4	40	269.7	12000						
218.5	TBA218.5-10-	1.4	1.5	28	0	198.5	28	238.5	2500				10.688	1.25	1.25
220	TBP-L-14362	4	1.5	50	200	200	50	240	240	60	160	160			
220	TBP-L-14810	3	1.5	60	0	132	60	310	2500						
225	TBP-L-15230	2	1.5	40	175	175	40	300	300						
234	TBP-L-12965	2.5	1.5	40	195	195	40	285	285						
240	TBP-L-14935	1.6	1.5	55	0	120	55	360	400	75	460	800			
247.25	TBP-L-15329	7	1.5	25	232.25	232.25	25	262.25	262.25						
249.7	TBP-L-10664	3.5	1.5	3	239.7	239.7	3	259.7	259.7	50	300	1000			
250	TBP-L-10200	2	1.5	30	50	50	30	800	800						
250	TBP-L-10482	0.5	1.5	40	0	174	40	450	1000				3	1	1
250	TBP-L-14689	3	1.4	65	0	125	65	500	4000						
250	TBP-L-15156	1	1.5	70	60	60	70	487.5	4000						
256	TBP-L-14472	4	1.5	30	225	225	18	232	232	24	278	278			
256.5	TBP-L-14473	4	1.78	55	330	3000	14	235	235	14	278	278			
256.5	TBP-L-14557	4	1.92	30	235	235	30	278	278	60	330	5000			
256.5	TBP-L-14761	2.2	1.5	20	230	230	20	276	276	40	221	221			
256.5	TBP-L-15330	2.2	1.5	20	276		40	221		40	287		2.75	0.88	0.88
257	TBP-L-14641	3	1.5	5	234	234	5	277	277	33	292	292			
273.5	TBP-L-14707	1.3	1.5	29	0	52	20	443	613						
275	TBP-L-15411	2.9	1.5	60	230	230	60	310	310						
291.36	TBP-L-15536	13.5	1.5	55	279.36		55	303.36							
299.5	TBP-L-15281	4.5	1.5	50	282	282	50	312	312						
299.5	TBP-L-15281	4.5	1.43	50	282		50	312					1.5	0.75	0.5
305	BPF305-26-8SS1	5	1.79	40	278		40	335		60	185		5.25	0.94	0.94
305	TBP-L-14474	4.5	1.5	15	270	270	15	335	335	35	345	345			
305	TBP-L-14555	4.3	1.5	30	280	280	30	331	331	60	187	187			
305	TBP-L-14750	5	1.8	40	278	278	40	335	335	60	185	185			

## BANDPASS FILTERS

Center Frequency (MHz)	Part Number	Insertion Loss (dB)	VSWR (∞:1)	Rejection (dB) (1)	From (MHz) (1)	To (MHz) (1)	Rejection (dB) (2)	From (MHz) (2)	To (MHz) (2)	Rejection (dB) (3)	From (MHz) (3)	To (MHz) (3)	Size (L) (inches)	Size (W) (inches)	Size (D) (inches)
306	TBP-L-15343	2.5	1.22	20	284	284	20	352	352	40	90	90			
306	TBP-L-15348	3	1.22	18	270	276	15	276	284	15	352	360			
306	TBP-L-15349	3.6	1.22	32	256	270	18	270	276	15	276	284			
306	TBP-L-15417	3.6	1.22	32	256	270	18	270	276	15	276	284			
312	TBP-L-15330	6	1.5	25	292	292	25	332	332						
313.5	TBP-L-15375	1.5	1.5	20	88	88	20	600	600						
321.4	TBP-L-14538	3	1.5	30	280	280	30	355	355						
322.5	TBP-L-15033	1.3	1.5	3	255	255	3	417.5	417.5	25	180	180			
322.5	TBP-L-15034	1.4	1.5	3	282.5	282.5	3	362.5	362.5	25	262.5	262.5			
325	TBP-L-15405	2	1.5												
325	TBP-L-15406	2	1.5												
327.5	TBP-L-10481	0.5	1.5	40	0	200	40	550	1000				3	1	1
330	TBP-L-15259	2	1.5	50	100	100	50	10000	10000						
350	TBP-L-15088	1	1.2	20	100	100	20	650	650	50	50	50			
353	TBP-L-03380	2	1.38	40	300	300	20	400	500	60	500	2000			
360	TBP-L-15189	7	1.5	90	207	273	60	0	200	105	300	300			
360	TSC360-200-	2	1.67	10	485	485	35	170	170	35	550	550	2.25	0.75	0.385
372.5	TBP-L-10478	0.5	1.43	40	0	174	40	680	1000				4	1	1
372.5	TBP-L-15427	0.5	1.5	40	174	174	40	680	680						
373	TBP-L-14773	2	1.5	60	186	186	45	560	745	30	279	279			
380	TBP-L-14791	2.5	1.5	60	0	310	60	450	2000						
385	TBP-L-10795	0.6	1.5	40	100	210	30	960	1215				2	0.5	0.5
389.5	TBP-L-10601	3	1.43	50	1		50	4000					1.5	0.5	0.5
390	TBP-L-11253	3	1.5	50	200	200	40	300	300	25	470	470			
400.575	TBP-L-14567	4.5	1.5	45	376.575	376.575	45	424.575	424.575	50	372.575	372.575			
401.585	TBP-L-15016	1	1.5	30	429.1	445.1	10	415	416.4						
405	TBP-L-15282	4.5	1.5	50	394	394	50	416	416						
416	TBP-L-14917	5.5	1.5	95	352	352	95	480	480						
418	TBP-L-15235	1.5	1.5	40	250	250	40	650	650						
425	TBP-L-14273	3	1.5	60	365	365	60	485	485	80	359	359			
439	TBP-L-14795	3	1.5	62	0	391	62	487	487						
442.5	TBP-L-14962	2	1.5	17	420	420	20	500	500						
445	TBP-L-14916	2	1.5	20	400	400	20	490	490						
445	TBP-L-15157	1	1.5	70	100	100	70	862.5	4000						
447	TBP-L-14416	2	1.5	70	0	233	70	823	3250						
448	TBP-L-14918	3	1.5	95	320	320	95	576	576						
450	TBP-L-15603	9.5	1.8	58	440.5		58	459.5		65	462	1000			
450	TBP-L-15604	4	1.8	35	425		35	475		65	495	1000			
452	TBP-C-14717	4	1.5	30	464	464									
455	TBP-L-14684	3	1.5	70	380	380	70	520	520						

# BANDPASS FILTERS

Center Frequency (MHz)	Part Number	Insertion Loss (dB)	VSWR (∞:1)	Rejection (dB) (1)	From (MHz) (1)	To (MHz) (1)	Rejection (dB) (2)	From (MHz) (2)	To (MHz) (2)	Rejection (dB) (3)	From (MHz) (3)	To (MHz) (3)	Size (L) (inches)	Size (W) (inches)	Size (D) (inches)
465	TBP-L-10976	5	1.92	50	1	440	50	490	1700				1.25	0.5	0.23
465	TBP-L-14757	6	2	50	1	440	50	490	1700						
475	TBP-L-15172	2.5	1.5	70	375	386	70	561	579	80	655	1000			
480	TBP-L-14477	4	1.5	40	432	432	40	528	528						
480	TBP-L-14936	1.5	1.5	55	0	240	55	720	850	75	960	1200			
488	TBP-L-00100	0.6		25	10	10	25	316	316						
488	TBP-L-00200	1.7		70	10	10	70	100	100						
488	TBP-L-00220	1.7		70	10	10	70	100	100						
500	TBP-L-14740	1	1.5	30	375	375	30	850	850						
500	TBP-L-15171	2	1.5	60	1	400	60	600	1000						
512	TBP-L-11374	4	1.3	21	448	448	18	480	480	18	544	544			
513	TBP-L-15173	2.3	1.5	70	408	415	70	611	622	80	713	1000			
522.233	TBP-L-14728	2.3	2	37	452.233	452.233	37	592.233	592.233						
525	TBP-C-14824	1.5	1.7	60	300	300	60	750	750						
525	TBP-L-15363	1	2	15	200	200	7	224	224	10	950	950			
527	TBP-L-14659	1.5	1.5	45	0	377	45	676	2000						
527	TBP-L-14789	1.5	1.5	45	0	377	45	676	2000						
535	TBP-L-15110	1.5	1.5	40	275	275	40	850	850						
536	TBP-L-12991	0.4	1.3	20	0	50	12	1050	1050	30	1200	4000			
537.5	TBP-L-15341	1	1.5	12	1050	1050	30	1200	1200	40	90	90			
537.5	TBP-L-15368	1.5	1.5	20	88	88	20	1200	1200						
544	TBP-L-15007	3	1.5	40	314	314	20	364	364	20	724	724			
544	TBP-L-15060	3	1.5	20	364	364	20	724	724	40	314	314			
544	TBP-L-15060	3	1.5	40	314		20	364		20	724				
548	TBP-L-15232	2	1.5	40	350	350	40	792	792						
556	TBP-L-14574	3	1.5	63	0	454	63	640	1500						
556	TBP-L-14814	3	1.5	63	0	454	63	640	1500						
570	TBP-L-14829	1.8	1.4	18	0	360	32	840	840	50	1020	1200			
575	TBP-L-15369	1.5	1.5	20	200	200	20	1200	1200						
577	TBP-L-14609	1	1.5	30	200	200	25	854	854						
592	TBP-L-14613	3	1.5	12	572	572	28	620	620	32	565	565			
600	TBP-L-14988	1.5	1.3	40	0	190	30	190	430	30	770	1010			
600	TBP-L-15003	1.5	1.3	40	0	190	30	190	430	30	770	1010			
600	TBP-L-15020	0.5	1.3	30	190	430	30	770	1010	40	1010	3000			
600	TBP-L-15020	1.5	1.3	30	190	430	30	770	1010	40	1010	3000			
600	TBP-L-15149	0.5	1.3	40	0	190	30	190	430	30	770	1010			
600	TBP-L-15149	0.5	1.3	30	190	430	30	770	1010	40	1010	3000			
600	TBP-L-15234	2	1.5	40	480	480	40	800	800						
600	TBP-L-15237	2	1.5	40	480	480	40	800	800						
600	TBP-L-15301	1.5	1.3	40	0	190	30	190	430	30	770	1010			

# BANDPASS FILTERS

Center Frequency (MHz)	Part Number	Insertion Loss (dB)	VSWR (∞:1)	Rejection (dB) (1)	From (MHz) (1)	To (MHz) (1)	Rejection (dB) (2)	From (MHz) (2)	To (MHz) (2)	Rejection (dB) (3)	From (MHz) (3)	To (MHz) (3)	Size (L) (inches)	Size (W) (inches)	Size (D) (inches)
600	TBP-L-15389	1.5	1.3	30	190	430	30	770	1010	40	1010	3000			
648	TBP-L-14344	3	1.5	50	768	768									
650	TBP-L-15613	2.5	1.5	40	225		40	1200	7000						
670.85	TBP-L-15565	3.5	1.5	40	560.85		60	780.85		60	1600				
680.5	TBP-C-10882	2	1.22	65	0	652	65	713	3000	45	3000	12750	7.2	3.3	2.12
700	TBP-L-14893	6	1.8	60	0	655	60	740	2000						
700	TBP-L-14967	9	1.5	35	680	680	60	10	665	60	735	2500			
710.5	TBP-C-10706	1.5	1.43	20	0	690	20	725	1500						
712.5	TBP-L-15564	3.5	1.5	80	602.5		80	822.5		84	1600				
712.5	TBP-L-15564	3.31	1.5	80	602.985		80	822.027		84	1600				
718.75	TBP-L-14663	6	1.5	35	670	670	65	775	775	60	0	620			
718.75	TBP-L-14856	4	1.5	35	670	670	55	775	775	60	0	620			
720	TBP-L-15128	1.05	1.5	70	200	200	70	1200	1200						
720	TBP-L-15350	0.5	1.5	50	0.1	0.1	60	2160	5000						
720	TBP-L-15351	1	1.5	10	1	1	60	1660	5000						
725.333	TBP-L-15039	2	1.5	55	362.666	362.666	45	1088	1088						
725.333	TBP-L-15039	2	1.5	55	362.666		45	1088							
725.333	TBP-L-15078	2	1.5	55	362.666	362.666	45	1088	1088						
749.1	TBP-L-10665	3.5	1.5	3	729.1	729.1	3	769.1	769.1	40	1000	2500			
750	TBP-L-14690	3	1.4	65	0	500	65	1000	4000						
750	TBP-L-14905	3	1.5	50	500	500	50	1000	1000	75	0	250			
750	TBP-L-15471	4	1.5	80	0	625	80	875	6000	65	6000	12000			
757.5	TBP-C-10678	1	1.43	25	727.5		30	787.5					4.25	1.5	1.85
765.5	TBP-C-10707	1.5	1.43	30	0	748	30	783	1500				5.12	1.57	2.2
780	TBP-L-14573	3	1.5	30	406	709	30	843	1124	70	1125	2000			
780	TBP-L-14815	3	1.5	70	0	405	30	406	709	30	843	1124			
780	TBP-L-14894	2	1.8	60	0	700	60	900	2200						
781.25	TBP-L-14662	4	1.5	35	720	720	35	840	840	60	0	670			
787.5	TBP-L-15158	1	1.5	70	200	200	70	1515	4000						
789.5	TBP-L-10423	5	1.5	45	925	960							1.5	0.5	0.4
793	TBP-C-11051	2.5	1.38	90	0	721	90	1132	9000				5.433	4.17	1.37
793.5	TBP-L-10679	0.4	1.25	20	460		20	1174					3	0.8	0.74
800	TBP-L-15161	1	1.5	60	10	50	60	2000	22000						
803	TBP-L-00180	1.7		60	10	460.5									
803	TBP-L-00230	1.5		60	100	100	60	460	460						
803	TBP-L-00680	1.5		55	100	100	55	460	460						
820	TBP-L-14496	3	1.6	60	1	650	60	950	4000						
820	TBP-L-15578	3	1.5	40	670		60	1155		50	1490	3000			
862.5	TBP-L-15132	1	1.5	25	687.5	687.5	25	1037.5	1037.5	60	512.5	512.5			
865	TBP-L-12809	2.5	1.5	60	710	710	60	1050	1050						





# BANDPASS FILTERS

Center Frequency (MHz)	Part Number	Insertion Loss (dB)	VSWR (∞:1)	Rejection (dB) (1)	From (MHz) (1)	To (MHz) (1)	Rejection (dB) (2)	From (MHz) (2)	To (MHz) (2)	Rejection (dB) (3)	From (MHz) (3)	To (MHz) (3)	Size (L) (inches)	Size (W) (inches)	Size (D) (inches)
1125	TBP-L-15588	2.38	1.5	40	225.155		3	300.207		3	1948.206				
1140	TBP-L-14830	1.8	1.4	10	480	660	10	1440	1980	30	1980	2500			
1142.5	TBP-L-14513	1	1.5	50	1070	1070	50	1215	1215						
1142.5	TBP-L-15314	8.7	1.5	40	1117	1117	40	1167	1167						
1142.5	TBP-L-15549	9	1.5	45	1117.5		45	1167.5							
1150	TBP-L-03040	2	2	58	1	1	58	650	650	60	1800	1800			
1150	TBP-L-15376	6.5	1.5	50	1100	1100	50	1200	1200						
1227	TBP-C-15075	0.5	1.2	40	1157	1157	40	1320	1320						
1240	TBP-L-11701	2	1.5	50	1058	1062	60	1440	2000						
1240	TBP-L-14899	2	1.5	60	0	1040	50	1058	1062	60	1440	2000			
1250	TBP-L-00130	2		50	1	1	50	12000	12000						
1250	TBP-L-10290	1	1.5	30	0	600	10	1080		10	1420				
1250	TBP-L-12810	2.5	1.67	48	250	250	48	4000	4000						
1250	TBP-L-14667	1	1.5	60	750	750	60	1750	1750						
1250	TBP-L-15159	1	1.5	70	300	300	70	2265	4000						
1250	TBP-L-15412	1.5	1.5	40	800	800	40	1850	1850						
1265	TBT-L-10745	0.6	1.42										2.5	1	1
1280	TBP-C-14673	6	1.5	30	1270	1270	30	1290	1290						
1300	TBP-L-10048	0.6	1.5	50	900	900	50	1800	1800	50	2600	2600	1.5	0.5	0.5
1307.5	TBP-L-15370	1.5	1.5	20	88	88	20	3300	3300						
1328	TBP-L-06633	4	1.2	33	1264	1264	33	1392	1392						
1360	TBP-L-14756	4	1.5	71	1500	1500									
1375	TBP-L-14808	3	1.6	70	1200	1200	55	0	1150	55	1700	1700			
1380	TBP-L-14475	3	1.5	14	1280	1280	14	1480	1480	30	1240	1240			
1385	TBP-L-11086	3.5	1.92	35	933		75	798		40	1930		3	0.94	0.94
1395	TBP-L-15027	6	1.5	80	0	1304	80	1490	2800	60	3000	5000			
1397	TBP-L-14774	9	1.5	70	1304	1304	65	1490	2980						
1400	TBP-L-12950	1	1.3	20	800	800	20	1900	1900						
1400	TBP-L-14593	1	2	15	0	900	40	3000	18000						
1406	TBP-L-11059	3.5	1.92	30	750		25	2110					3	0.88	0.88
1416	TBP-L-12985	6	1.5	20	1330	1360	20	1470	1500	40	1500	5000			
1417.5	TBP-L-10291	1	1.5	30	0	600	10	1250		10	1585				
1450	TBP-C-11052	2	1.38	90	0	1333	90	1616	9000				5.55	3.4	1.06
1450	TBP-L-14558	0.7	1.2	40	600	600	40	3400	3400						
1460	TBP-L-10697	2.1	1.5	70	800		50	2130							
1475	TBP-L-15373	1.5	1.5	20	970	970	10	1900	1900						
1485	TBP-C-10918	0.5	1.43	60	1575	4605							4.1	2.78	1.58
1485	TBP-C-14595	1	1.7	60	1325	1325	60	1575	1575						
1498	TBP-L-10666	3.5	1.5	40	1248	1248	40	1748	1748	70	748	748			
1500	TBP-L-14719	5.5	1.6	60	1	1400	60	1625	5000						

# BANDPASS FILTERS

Center Frequency (MHz)	Part Number	Insertion Loss (dB)	VSWR (∞:1)	Rejection (dB) (1)	From (MHz) (1)	To (MHz) (1)	Rejection (dB) (2)	From (MHz) (2)	To (MHz) (2)	Rejection (dB) (3)	From (MHz) (3)	To (MHz) (3)	Size (L) (inches)	Size (W) (inches)	Size (D) (inches)
1516.5	TBP-L-10977	1	1.93	25	380	470	25	2700	7000	35	7000	8400	0.535	0.512	0.21
1516.5	TBP-L-14749	1	1.92	25	380	470	25	2700	7000	35	7000	8400			
1535	TBP-L-15374	1	1.5	15	500	500	20	3300	3300						
1535	TBP-L-15599	1	1.5	30	500		20	3300							
1540	TBP-L-14706	3	1.925	25	435	470	25	2800	7000	35	7000	8400			
1542.5	TBP-C-15073	0.5	1.2	40	510	1425	40	1660	1660						
1550	TBP-L-15386	2.38	1.5	40	75.052	75.052	3	100.069	100.069	3	2997.24	2997.24			
1575	TBP-C-12788	1.4	1.925	20	1625.42	1645.42									
1575	TBP-C-15074	0.5	1.2	40	1505	1505	40	1650	1650						
1575.42	TBP-L-14572	3.2	2	40	1425.42	1425.42	40	1725.42	1725.42						
1600	TBP-C-10555	1	1.5	60	1000		60	2200		50	6400	6600	5.47	2.0474	1.25
1600	TBP-L-14495	5.5	1.6	60	1	1500	60	1725	5000						
1615	TBP-L-10602	3	1.43	50	10		50	4000					1.5	0.5	0.5
1615	TBP-L-15190	1	1.67	40	0	1100	40	1900	2100	70	2270	2670			
1630	TBP-L-10647	14	1.5	50	1470		50	1770							
1642.5	TBP-C-15072	0.5	1.2	40	510	1525	40	1760	1760						
1650	TBP-C-11070	2.5	1.38	90	0	1533	90	1805	9000				5.551	2.854	1.062
1678	TBP-L-10663	6	1.5	60	1378	1378	40	1578	1578	40	1778	1778			
1688.4	TBP-L-10035	14.25	1.5	3	1671.9		3	1704.9		17	1674.4				
1688.4	TBP-L-10038	14.25	1.5	42	1688.4	1776	35	0	1688.4						
1688.4	TBP-L-14224	14	1.5	17	1647.4	1647.4	17	1729.4	1729.4	70	1794.4	1814.4			
1688.4	TBP-L-14226	14	1.5	3	1719.5	1719.5	42	1776	1776	35	0	1572.4			
1688.4	TBP-L-14443	14.25	1.5	42	1776	1776	35	0	1571						
1689	TBP-C-15099	1	1.5	40	1670	1670									
1690	TBP-L-10744	2.7		20	1600		30	1800					1.5	0.5	0.4
1712.5	TBP-L-11046-SS	2.5	1.43	35	1850		40	1900		60	2400	10000	1.25	0.5	0.5
1725	TBP-L-15089	1	1.2	20	300	300	20	3500	3500	50	200	200			
1725	TBP-L-15168	1	1.5	20	365	365	20	3700	3700	50	300	300			
1725	TBP-L-15579	3	1.5	30	2060		355	2110		40	2395				
1735	TBP-L-15111	1.5	1.5	40	1175	1175	40	2175	2175						
1745.5	TBP-C-15124	0.5	1.2	40	1640	1640	40	1855	1855						
1748	TBP-L-10667	4	1.5	3	1698	1698	3	1798	1798	60	2000	3500			
1750	TBP-L-10108	2	1.93	55	0	800	55	2750	18000				2.3	0.45	0.35
1780	TSC1780-200-	1.5	1.67	25	1575	1575							2.5	1	0.5
1783	TBP-C-14576	2	1.5	25	1830	1830	18	1730	1730	35	1850	1850			
1790	TBP-C-14741	1.5	1.35	10	1780	1780	10	1800	1800						
1800	TBP-C-11071	2	1.38	90	0	1633	90	210	9000				5.551	2.854	1.062
1800	TBP-L-15209	2.5	1.5	30	1300	1300	30	2300	2300						
1835	TBP-C-14396	1.3	1.22	30	1979.8	1999.8									
1835	TBP-C-14577	2.5	1.5	80	1773	1793	80	1877	1897						

# BANDPASS FILTERS

Center Frequency (MHz)	Part Number	Insertion Loss (dB)	VSWR (∞:1)	Rejection (dB) (1)	From (MHz) (1)	To (MHz) (1)	Rejection (dB) (2)	From (MHz) (2)	To (MHz) (2)	Rejection (dB) (3)	From (MHz) (3)	To (MHz) (3)	Size (L) (inches)	Size (W) (inches)	Size (D) (inches)
1842.5	TBP-C-15125	0.5	1.2	40	1735	1735	40	1950	1950						
1854	TBP-L-14655	3	1.5	50	50	1675	40	1728	1728	40	3000	5500			
1890	TBP-L-00190	2.5		60	100	100	60	8000	8000						
1900	TBP-C-10824	2.5	1.22	65	0	1865	65	1935	4000	45	4000	12750	5.551	2.087	1.102
1900	TBP-C-10824	2.5	1.22	65	0	1865	65	1935	4000	45	4000	12750	5.55	2.0883	1.34
1900	TBP-C-11053	2.5	1.38	90	0	1733	90	2100	9000				4.72	3.05	0.9
1900	TBP-L-15523	0.6	1.29	50	355		20	535		20	3500				
1920	TBP-L-14938	2.85	1.5	75	0	700	75	960	960	75	1200	1440			
1960	TBP-L-14056	5.5	1.5	25	1900	1900	25	2020	2020						
2000	TBP-L-14623	1.5	1.6	40	1250	1250	60	1150	1150	40	2750	2750			
2000	TBP-L-14623	1.5	1.6	40	1250	1250	60	1150	1150	40	2750	2750			
2000	TBP-L-15473	4	1.5	60	3000	12000	45	1875		45	2125				
2000	TBP-L-15550	2.5	1.43	50	100	1200	50	2880	10000						
2002.5	TBP-C-10725	3	1.67	90	0	1910	90	2110	6000						
2010	TBP-C-15399	1	1.5	75	2180	2180									
2010	TBP-L-10603	3	1.43	50	10		50	4000					1.5	0.5	0.5
2017.5	TBP-C-10821	4	1.22	75	0	1995	75	2040	4000	45	4000	12750	3.583	3.071	1.102
2017.5	TBP-C-10821	4	1.22	75	0	1995	75	2040	4000	45	4000	12750	3.58	3.07	
2037.5	TBP-C-15257	1.5	1.5	60	2002.5	2002.5	60	2072.5	2072.5						
2082.5	TBP-C-11054	2.5	1.38	90	0	1738	52.5	1738.1	1770	61.5	2401	2462.4	5.43	4.33	0.9
2125	TBP-L-15371	1.5	1.5	15	1600	1600	20	3300	3300						
2132.225	TBP-C-11072	2.5	1.38	90	0	1894.5	72	1895.1	1915	72	2350	2421.1	5.354	4.33	0.906
2150	TBP-C-11073	2.5	1.38	90	0	2033	90	2300	9000				4.724	3.051	0.906
2160	TBP-C-14685	1.25	1.4	70	0	1900	70	2420	6000						
2160	TBP-L-15352	0.5	1.5	60	1220	1220	60	3100	5000						
2160	TBP-L-15353	0.5	1.5	60	0	1220	55	2880	2880	60	3100	5000			
2170	TBP-L-14536	3	1.7	50	1870	1870	50	2370	2370						
2185	TBP-C-10855	2.3	1.29	90	0	1990	35	2300	2370	90	2370	9000	5.83	2.116	1.02
2190	TBP-W-15398	1	1.5	135	2020	2020							31.4	6.34	4.2
2192.5	TBP-L-10377	5		40	3800								1.75	0.5	0.5
2222.5	TBP-C-15057	3	1.5	65	2255.5	2300	55	0	2189						
2222.5	TBP-C-15081	2.5	1.5	65	2255.5	2300	55	0	2189						
2222.5	TBP-C-15082	2.5	1.5	65	2255.5	2300	55	0	2189						
2222.5	TBP-C-15243	3	1.5	65	225	2300	55	0	2189						
2245	TBP-C-11074	3	1.38	90	0	2138	53	2138.1	2170	23	2300	2322.4	5	2.303	0.827
2245	TBP-L-14102	4	1.5	60	0	1909	40	2099	2099	40	2391	5000			
2250	TBP-C-12400	0.8	1.5	60	1700	1900	40	2500	2500						
2250	TBP-L-14616	2.5	1.5	40	1950	1950	40	2550	2550						
2250	TBP-L-14895	3.5	1.5	70	1950	1950	70	2550	2550						
2255	TBP-C-15144	0.8	1.3	50	1900	1900	50	2600	2600						

# BANDPASS FILTERS

Center Frequency (MHz)	Part Number	Insertion Loss (dB)	VSWR (∞:1)	Rejection (dB) (1)	From (MHz) (1)	To (MHz) (1)	Rejection (dB) (2)	From (MHz) (2)	To (MHz) (2)	Rejection (dB) (3)	From (MHz) (3)	To (MHz) (3)	Size (L) (inches)	Size (W) (inches)	Size (D) (inches)
2280	TBP-L-14831	2	1.4	10	960	1320	10	2880	3960	30	3960	5000			
2293	TBP-L-15390	2	1.5	60	1550	1600									
2300	TBP-C-10856	2.3	1.29	90	0	1980	90	2500	9000				5.83	2.116	1.02
2300	TBP-L-14501	2	1.5	30	3200	6900	30	500	500						
2300	TBP-L-15263	1.5	1.5	50	1900	1900	50	3150	3150						
2300	TBP-L-15268	1.8	1.5	50	1980	1980	50	2980	2980						
2319	TBP-C-11063	2.5	1.38	90	0	2141	57	2141.1	2170	90	2496	9000	6.653	1.811	0.866
2324	TBP-C-11078	2.5	1.38	90	0	2233	80	2401	2480.4	90	2480.5	9000			
2345	TBP-L-14103	4.2	1.5	60	0	2008	40	2491	5000	40	2199	2199			
2350	TBP-C-10727	3	1.67	90	0	1785	75	2500	2600	90	2600	9000			
2350	TBP-C-10825	2	1.22	60	0	2275	60	2425	4000	45	4000	12750	6.04	2.0883	1.3
2350	TBP-C-10825	2	1.22	60	0	2275	60	2425	4000	45	4000	12750	5.807	2.087	1.024
2350	TBP-C-11065	3	1.43	90	0	2233	22.5	2233.1	2285	45	2430	2474.9	5.826	1.811	0.866
2350	TBP-L-10114	1.2	1.6	60	1700	1700	60	3100	18000				2.5	1	0.5
2355	TBP-L-10421	5	1.43	45	1930	2200	45	2496	2690				1.5	0.5	0.4
2380	TBP-L-14790	11	1.5	35	2330	2330	60	2500	5000						
2400	TBP-C-11069	2.5	1.38	90	0	2043	61.5	2043.1	2069				7.402	3.504	0.866
2400	TBP-L-15008	1	1.5	5	2040		5	2760		50	4800				
2400	TBP-L-15008	1	1.5	5	2040	2040	5	2760	2760	50	4800	4800			
2400	TBP-L-15241	1	1.5	5	2040	2040	5	2760	2760	50	4800	4800			
2415	TBP-C-10912	3.2	1.29	90	0	2220	80	2500	2550	90	2551	9000	3.95	1.79	1.02
2441	TBP-C-11064	3	1.38	90	0	2333	79	2333.1	2347.7	27	2500	2526.9	5.433	1.811	0.866
2458.5	TBP-C-11075	2	1.38	90	0	2365	48	2365.1	2400	23	2500	2522.4	5	2.303	0.827
2500	TBP-L-10285	1	1.2	50	500	1350	48	1350	1500	50	3500	3500			
2500	TBP-L-14665	1	1.5	60	1500	1500	60	3500	3500						
2500	TBP-L-15310	3	1.5	50	2720	2720									
2507.5	TBP-C-11076	2.5	1.38	90	0	2400	90	2620	9000				5	2.303	0.827
2517.5	TBO-C-11066	2.5	1.38	90	0	2433	37.5	2560	2597.4	90	2597.5	9000	4.645	1.811	0.866
2520	TBP-C-11055	3	1.38	90	0	2283	22.5	2283.1	2335	90	3049	9000	5.43	3.62	0.9
2525	TBP-L-00290	4		100	2000	2000	100	3000	3000						
2535	TBP-C-11067	3	1.38	90	0	2433	22.5	2433.1	2485	45	2600	2644.9	5.039	1.811	0.866
2580	TBP-L-14982	5.5	1.5	75	0	2400	45	2700	3700	60	3800	6000			
2592	TBP-C-10826 0	3.5	1.22	70	0	2436	70	2750	4000	45	4000	12750	9.64	1.77	1.02
2593	TBP-C-10728	3	1.67	90	0	1980	90	3310	9000				3.78	1.77	1.34
2593	TBP-C-11079	2.5	1.38	90	0	2430	90	2822	9000				5.433	2.303	0.827
2593	TBP-L-10422	5	1.5	45	1930	2360							1.25	0.5	0.4
2594	TBP-C-10826	3.5	1.22	70	0	2436	70	2750	4000	45	4000	12750	9.646	1.181	0.827
2595	TBP-C-10822	2.5	1.22	60	0	2555	60	2635	4000	45	4000	12750	5.551	2.087	1.024
2595	TBP-C-10822	2.5	1.22	60	0	2555	60	2635	4000	45	4000	12750	5.55		1.3
2595	TBP-C-10823	1	1.22	50	2530		50	2670	12750				7.97	2.3489	1.299

# BANDPASS FILTERS

Center Frequency (MHz)	Part Number	Insertion Loss (dB)	VSWR (∞:1)	Rejection (dB) (1)	From (MHz) (1)	To (MHz) (1)	Rejection (dB) (2)	From (MHz) (2)	To (MHz) (2)	Rejection (dB) (3)	From (MHz) (3)	To (MHz) (3)	Size (L) (inches)	Size (W) (inches)	Size (D) (inches)
2595	TBP-C-10838	2	1.29	90	0	2470	90	2720	9000				375	179	1.02
2600	TBP-C-10823	1	1.22	50	2530		50	2670	12750				7.972	2.362	1.024
2630	TBP-C-11080	2	1.38	90	0	2503	90	2970	9000				5	2.303	0.827
2640	TBP-C-15272	1	1.5	50	2550	2550	50	2720	2720						
2675	TBP-C-14862	1	1.5	65	2535	2535									
2688	TBP-C-15356	3	1.22	45	0	2145	20	2145	2304	20	3072	3231			
2722	TBP-C-10909	2.5	1.43	60	2597	2847							1.65	0.59	0.374
2727.5	TBP-C-10724	3	1.67	90	0	2400	75	2400	2570	90	3200	9000	5.511	1.77	1.34
2750	TBP-L-10278	1.2	1.5	30	1400	1400	15	4000	4000	30	4200	4200			
2750	TBP-L-14588	2	1.5	24	1000	1000	45	4000	7000	30	7000	10500			
2775	TBP-L-10308	4	1.5	20	1650		20	3900					1.5	0.5	0.4
2800	TBP-C-14898	1	1.5	42	2500	2500	25	2600	2600	25	3000	3000			
2800	TBP-C-15483	2	1.43	17	2600		17	3000		35	2500				
2845	TBP-C-15265	1	1.5	50	2739	2739	50	2944	2944						
2875	TBP-L-10669	1.5	1.5	50	1100		11	4000		60	6000		1.75	0.5	0.5
2885	TBP-C-11055	2	1.38	90	0	2403	90	3550	9000				5.118	4.331	0.984
2935	TBP-C-15266	0.7	1.5	50	2791	2791	50	3097	3097						
2935	TBP-L-15271	6	1.5	50	2765	2765	50	3190	3190						
2975	TBP-C-14827	2	1.5	60	2725	2725	60	3225	3225						
3000	TBP-L-15162	1	1.5	60	100	1000	60	6000	22000						
3000	TBP-L-15223	1	1.5	40	25	175									
3000	TBP-L-15446	3	1.43	60	0	1600	60	4800	9000				2.5	0.5	0.5
3000	TBP-L-15446	2	1.5	60	0	1600	60	4800	12000						
3000	TBP-L-15589	1.9	1.5	40	1050.725		3	1320.911		3	4675.694				
3000	TBP-L-15600	5.83	1.5	1	2964.144		1	3035.197		60	3244.865	6000			
3000	TBP-L-15601	4.03	1.4	1	2704.347		1	3294.004		60	3593.459	6000			
3000	TBP-L-15602	0.9	1.7	1	1978.18		1	4017.687		60	5490.007	6000			
3100	TBP-L-15070	3	1.5	60	0	2000	70	5000	5000						
3112.5	TBP-L-15449	1.2	2	30	3660	3660	40	3795	8000	40	1750	1750			
3155	TBP-C-15571	2	1.5	60	2000	2760	60	3560	4000						
3200	TBP-L-10115	1.2	1.6	60	2300	2300	60	4200	18000				2.5	1	0.5
3250	TBP-L-15164	1	1.5	60	100	1500	60	6000	22000						
3350	TBP-L-14745	1	1.43	10	2800	2800	30	4300	4300						
3425	TBP-C-14699	3	1.5	65	0	3300	65	3550	10000	70	10000	13000			
3500	TBP-C-10726	3	1.67	90	0	2855	90	4110	10000				3.78	1.77	1.34
3500	TBP-C-14828	2	1.5	60	3100	3100	60	3850	3850						
3500	TBP-L-10286	1.5	1.2	65	1500	2000	51	2500	2500	50	4500	4500			
3500	TBP-L-10605	3	1.43	50	10		50	14000					1.5	0.5	0.5
3500	TBP-L-10671	1.7	1.92	23	1800		19	5000					1.75	0.5	0.5
3550	TBP-L-14657	3.6	1.5	30	1	300	20	4900	4900	55	9200	15500			

# BANDPASS FILTERS

Center Frequency (MHz)	Part Number	Insertion Loss (dB)	VSWR (∞:1)	Rejection (dB) (1)	From (MHz) (1)	To (MHz) (1)	Rejection (dB) (2)	From (MHz) (2)	To (MHz) (2)	Rejection (dB) (3)	From (MHz) (3)	To (MHz) (3)	Size (L) (inches)	Size (W) (inches)	Size (D) (inches)
3550	TBP-L-14681	6.5	1.2	20	3500	3500	20	3600	3600						
3700	TBP-L-14886	2	1.8	55	10	2120	55	5630	18000						
3725	TBP-C-11068	2	1.38	90	0	3483	90	4900	9000				4.645	1.811	0.63
3750	TBP-L-10215	1	1.3	30	0	3000	30	4500	12000						
3800	TBP-L-15051	1	1.5	40	2600	2600	50	5000	5000						
3800	TBP-L-15179	1	1.5	40	2600	2600	50	5000	5000						
3825	TBP-C-15289	2	1.5	70	3900	3900	40	3750	3750						
3840	TSC3840-288-	4.5	1.43	8	3660	3660	8	4020	4020	60	3400	3400	1.25	0.38	0.25
3840	TSC3840-600-	2.5	1.43	8	4200	4200	17	3430	3430	17	4250	4250	2.25	0.38	0.38
3840	TSJ3840-100-9SS1	2	1.43	5	3780	3780	5	3900	3900	20	3910	3910	3.954	0.94	0.53
3840	TSJ3840-300-9SS1	1.3	1.43	40	3630	3630	40	4050	4050	20	3660	3660	4.08	0.94	0.53
3850	TBP-L-14391	1	1.5	40	2300	2300	40	5300	5300						
3875	TBP-C-15290	2	1.5	70	3950	3950	40	3800	3800						
3885.625	TBP-C-14700	3	1.4	65	0	3760.625	65	4010.625	10000	70	10000	13000			
3900	TBP-C-12900	0.5	1.5	30	2500	2500	50	5300	5300						
3912.5	TBP-W-14995	0.6	1.3	55	2900	3250	55	4500	5100	60	5850	6425	4.25	3.5	2.5
3912.5	TBP-W-15061	0.6	1.3	55	2900	3250	55	4500	4500	60	5850	6425	4.25	3.5	2.5
3925	TBP-C-15285	2	1.5	70	4000	4000	40	3850	3850						
3937.5	TBP-L-15450	1.5	2	30	4485	4485	40	4620	8000	40	2580				
3950	TBP-C-15186	0.5	1.3	55	2900	3250	55	4500	5100	60	5850	6425			
3950	TBP-W-15019	0.6	1.3	55	2900	3250	55	4500	4500	60	5850	6425	4.57	3.88	2.75
3975	TBP-C-15286	2	1.5	70	4050	4050	40	3900	3900						
4000	TBP-L-10009	1											2.5	1	0.5
4000	TBP-L-10105		1.67	25	0	1700	25	6900	18000				1.75	0.45	0.35
4000	TBP-L-10278	1.2	1.5	40	2900	2900	20	3050	3050	40	5200	18500			
4000	TBP-L-14502	2	1.5	30	5600	12000	30	1000	1000						
4000	TBP-L-15127	1.5	1.5	60	0	2400	10	3100	3100	10	4900	4900			
4025	TBP-L-10672	1.5	1.5	18	2400		11	5600							
4050	TBP-C-15291	2	1.5	70	3900	3900	70	4400	4400						
4070	TBP-C-14798	3	1.5	40	2270	2270	40	5370	5370						
4100	TBP-L-10116	1.2	1.6	60	3200	3200	60	5200	18000				1.5	0.5	0.5
4125	TBP-C-15283	2	1.5	70	4050	4050	40	4200	4200						
4160	TBP-C-14861	1	1.5	120	5925	5925									
4175	TBP-C-15284	2	1.5	70	4100	4100	40	4250	4250						
4200	TBP-L-15547	4	1.43	10	3950		10	4450		50	5000	8000			
4225	TBP-C-15287	2	1.5	70	4150	4150	40	4300	4300						
4250	TBP-L-15577	1.5	1.61	50	0	2000	50	6800	12000						
4275	TBP-C-15288	2	1.5	70	4200	4200	40	4350	4350						
4300	TBP-C-15212	1	1.5	20	4000	4000	20	4600	4600	32	4850	4900			
4475	TBP-C-14686	1.5	1.25	50	1500	3800	50	5150	12000	30	24000	24000			

# BANDPASS FILTERS

Center Frequency (MHz)	Part Number	Insertion Loss (dB)	VSWR (∞:1)	Rejection (dB) (1)	From (MHz) (1)	To (MHz) (1)	Rejection (dB) (2)	From (MHz) (2)	To (MHz) (2)	Rejection (dB) (3)	From (MHz) (3)	To (MHz) (3)	Size (L) (inches)	Size (W) (inches)	Size (D) (inches)
4500	TBP-L-10010	1											2.5	1	0.5
4500	TBP-L-10072	3	1.5	30	4310	3210	30	4690	4690				1.5	0.5	0.5
4500	TBP-L-10216	1	1.3	30	0	3500	30	5500	12000						
4500	TBP-L-10287	2	1.2	65	2520	3000	51	3500	3500	51	5500	5500			
4550	TBP-L-15069	3	1.5	10	3100	3100	60	0	2400	60	7000	10000			
4600	TBP-L-15381	2.5	1.5	40	4000	4000	40	6000	6000						
4650	TBP-L-10670	1.6	1.92	37	2000		22	6600					1.75	0.5	0.5
4700	TBP-C-10557	1	1.5	60	4100		60	5300		50	6400	6600	3.62	1.93	0.63
4750	TBP-L-14589	2	1.5	24	2600	2600	50	7000	12000	40	12000	18000			
4750	TBP-L-15488	0.8	1.43	40	0	3000	40	6400	15150						
4762.5	TBP-L-15451	1.7	2.1	30	5310	5310	40	5445	8000	40	3400	3400			
4780	TBP-C-14796	3	1.5	40	3480	3480	40	6080	6080						
4850	TBP-L-10309	4	1.5	20	3300		20	6700					1.5	0.5	0.4
4870	TBP-C-10928	0.5	1.5	40	30	4700	40	5040	6000				2.76	1.82	0.7
4875	TBP-L-15160	1.5	1.5	60	10	1000	60	12000	22000						
5000	TBP-L-10011	1											2.5	1	0.5
5000	TBP-L-10278	1.2	1.5	40	3500	3500	30	3900	3900	30	6200	6200			
5000	TBP-L-15321	1.5	1.5	30	0	1200	30	8800	8800						
5200	TBP-C-14822	2	1.5	60	3000	3000	60	7400	7400						
5250	TBP-L-10217	1	1.3	30	0	4500	30	6000	12000						
5375	TBP-C-14688	1.5	1.25	50	1500	4700	50	6050	12000	30	12000	24000			
5405	TBP-C-14919	6	1.5	58	5500	5500	40	5300	5300						
5450	TBP-C-14972	2	1.536	40	1	4150	40	6750	12000						
5500	TBP-L-10117	1.2	1.6	60	3900	3900	60	7500	18000				2.5	1	0.5
5500	TBP-L-10288	2	1.67	50	3520	4000	45	4500		45	5100		1.5	0.5	0.38
5500	TBP-L-10288	1.6	1.2	65	3520	4000	51	4500	4500	51	6500	6500			
5500	TBP-L-14570	2	1.5	60	12000	12000									
5587.5	TBP-L-15452	2.2	2.1	30	6135	6135	40	6270	8000	40	4230	4230			
5591	TBP-C-15337	1	1.5	60	5365	5365									
5690	TBP-C-15174	3	1.5	38	5615	5615	38	5765	5765						
5700	TBP-C-10780	5.5	1.42	50	5500		50	5900					1.18	0.55	0.217
5750	TBP-C-14687	1.5	1.25	50	1500	4950	50	6550	12000	30	24000	24000			
5800	TBP-C-15332	2	1.5	25	5735	5735	25	5865	5865						
5800	TBP-C-15333	2.5	1.5	25	5760	5760	25	5840	5840						
5810	TBP-L-10425	2	1.5	60	5880								3.189	1.772	0.63
5850	TBP-L-10378	5	1.43	40	11000								1.75	0.5	0.5
5880	TBP-L-10426	2	1.4	60	5810								3.189	1.722	0.63
6000	TBP-L-10278	1.2	1.5	40	4500	4500	30	4900	4900	20	6950	6950			
6000	TBP-L-14546	1.5	1.5	60	2750	2750	60	9600	9600	40	9600	12000			
6000	TBP-L-14968	1	1.4	20	3500	3500	20	8500	8500						

# BANDPASS FILTERS

Center Frequency (MHz)	Part Number	Insertion Loss (dB)	VSWR (∞:1)	Rejection (dB) (1)	From (MHz) (1)	To (MHz) (1)	Rejection (dB) (2)	From (MHz) (2)	To (MHz) (2)	Rejection (dB) (3)	From (MHz) (3)	To (MHz) (3)	Size (L) (inches)	Size (W) (inches)	Size (D) (inches)
6175	TBP-L-14863	1	1.5	65	4200	4200									
6382	TBP-C-14997	2	1.5	50	6236	6236	50	6528	6528						
6382	TBP-C-14997	2	1.5	50	6236	6236	50	6528	6528						
6382	TBP-C-15136	2	1.5	50	6230	6230	50	6526	6526						
6463.75	TBP-C-14701	3	1.4	65	0	6339.375	65	6589.375	10000	70	10000	20000			
6500	TBP-C-15387	1.2	1.4	40	5750	5750	40	7250	26000						
6528	TBP-C-15005	1.2	1.3	10	6430	6430	10	6626	6626	45	6381	6381			
6570	TBP-C-14800	3	1.5	40	5270	5270	40	7870	7870						
6640	TBP-C-15498	2.5	1.4	40	6100		40	7180	20000						
6640	TBP-C-15524	1.9	1.4	40	6104.575		3	6266.697		3	7010.982				
6655	TBP-C-14656	1	1.5	50	1000	3500	25	5000	6000	60	7680	18000			
6685	TBP-L-15316	2	1.5	50	5760	5760	50	7600	7600						
6740	TBP-C-14797	3	1.5	40	4790	4790	40	8690	8690						
6750	TBP-L-14711	1	1.5	15	0	5300	15	8200	20000						
6750	TBP-L-14712	4	1.5	40	0	5300	40	8200	20000						
6822	TBP-L-14906	4	1.8	50	2000	6050	50	7500	16500						
7000	TBP-C-15614	0.95	1.5	3	6007.002		3	7989.503		40	8416.575	18200			
7000	TBP-L-14510	3	1.5	60	1000	6000	60	8000	14000	70	9000	9000			
7172.7	TBP-L-14341	0.1	1.29	10	6200	6200	10	8000	8000	19	5500	5500			
7175	TBP-L-10118	1.2	1.6	60	5600	5600	60	9000	18000				2	1	0.5
7225	TBP-L-14503	2	1.5	30	10000	22000	30	2000	2000						
7250	TBP-L-10278	1.2	1.5	40	5500	5500	30	5800	5800	20	6100	6100			
7452	TBP-L-12965	12	1.5	70	7266	7266	70	7638	7638	75	7080	7080			
7452	TBP-L-12965	11	1.5	75	7266	7266	75	7638	7638	75	7080	7080			
7452	TBP-L-14769	8	1.5	75	7825	7825	75	8198	8198	60	0	7080			
7500	TBP-C-14743	0.4	1.5	60	1000	1000									
7638	TBP-L-12966	11	1.5	75	7452	7452	75	7824	7824	75	7266	7266			
7638	TBP-L-14966	12	1.5	70	7452	7452	70	7824	7824	75	7266	7266			
7639	TBP-L-14770	19	1.5	75	7825	7825	80	8011	8011	60	0	7452			
7640	TBP-L-15317	2	1.5	50	3840	3840	30	15200	15200						
7700	TBP-C-14881	2	1.8	1	6435	6435	1	8989	8989	60	10	5730			
7825	TBP-L-12967	11	1.5	75	7639	7639	75	8011	8011	75	7453	7453			
7825	TBP-L-14967	12	1.5	70	7639	7639	70	8011	8011	75	7453	7453			
7870	TBP-L-10649	4	1.67	50	5780		50	9560					1.3	0.48	0.35
8000	TBP-C-14615	2.1	1.5	60	500	7850	60	8150	12000						
8000	TBP-C-15590	2.38	1.5	40	5404.05		3	5969.474		3	10024.96				
8000	TBP-L-14509	3	1.5	60	1000	7000	50	9000	16000						
8000	TBP-L-14713	1	1.5	15	0	6600	15	9400	20000						
8000	TBP-L-14714	4	1.5	40	0	6600	40	9400	20000						
8000	TBP-L-15118	1.5	1.7	50	100	2500	50	14000	20000						



# BANDPASS FILTERS

Center Frequency (MHz)	Part Number	Insertion Loss (dB)	VSWR (∞:1)	Rejection (dB) (1)	From (MHz) (1)	To (MHz) (1)	Rejection (dB) (2)	From (MHz) (2)	To (MHz) (2)	Rejection (dB) (3)	From (MHz) (3)	To (MHz) (3)	Size (L) (inches)	Size (W) (inches)	Size (D) (inches)
8011	TBP-L-12968	11	1.5	75	7825	7825	75	8197	8197	75	7639	7639			
8011	TBP-L-12968	12	1.5	70	7825	7825	70	8197	8197	75	7639	7639			
8011	TBP-L-14771	19	1.5	75	7825	7825	80	7639	7639	60	0	7452			
8070	TBP-C-14802	3	1.5	40	7420	7420	40	8720	8720						
8100	TBP-C-10558	1	1.5	60	7500		60	8700		50	6400	6600	3.62	1.93	0.63
8212.5	TBP-L-15152	3	1.5	40	7492.5	7492.5	40	8412.5	8412.5						
8500	TBP-C-14885	2	1.8	60	10	7890	60	910	18000						
8512.5	TBP-L-14865	7	1.5	50	8100	8100	50	8900	8900						
8600	TBP-C-14823	2	1.5	60	6600	6600	60	10500	10500						
8650	TBP-C-15201	1.5	1.5	30	4000	7200	30	9800	15000						
8660	TBP-C-15572	2.5	1.5	60	8000	8220	60	9100	18000						
8675	TBP-L-10119	1.4	1.6	60	6700	6700	60	11000	18000				1.5	0.5	0.5
8700	TBP-C-14702	3	1.4	0	0	8400	65	9000	10000	70	10000	20000			
8750	TBP-C-11195	0.5	1.43	60	0	1900	60	14000	16000				2.1	0.85	0.85
8804	TBP-L-15538	2.5	1.5	40	0	7000	40	10500	18000						
8980	TBP-C-15573	2.5	1.5	60	8000	8670	60	9250	18000						
9000	TBP-L-14571	2	1.5	60	4000	4000	60	14000	14000						
9210	TBP-C-11149	1	1.5	50	7710	7710	50	10710	10710						
9250	TBP-W-15518	0.35	1.22	34	8650		21	9850					5.12	1.63	1.62
9270	TBP-C-14804	3	1.5	40	8620	8620	40	9920	9920						
9500	TBP-L-10646	4	1.67	50	7550		50	11200					1.3	0.48	0.35
9535	TBP-C-15239	3	1.5	50	0	7500	50	11190	12000						
9535	TBP-C-15240	3	1.5	50	11190	12000									
9550	TBP-L-15318	2.3	1.5	50	7680	7680	50	11400	11400						
9587.5	TBP-L-14866	7	1.5	50	9200	9200	50	9990	9990						
9600	TBP-C-15105	3	1.36	95	0	8640	70	10560	30000						
9600	TBP-C-15105	3	1.36	95	0	8640	70	10560	30000						
9600	TSC9600-220-	1	1.99	30	7200	7200	10	11500	11500	40	12600	12600	1.2	0.7	0.38
9650	TBP-C-15574	2.5	1.5	60	8000	9330	60	10000	18000						
9700	TBP-L-14401	2	1.5	60	1000	7400		12500	30000						
9750	TBP-L-15114	3.5	1.5	40	8200	8200	40	11000	11000						
9840	TBP-C-15388	2	1.5	70	0	8500	70	10075	12850	60	12850	20000			
9935	TBP-L-14864	5	1.5	50	9200	9200	50	10640	10640						
9950	TBP-C-15202	1.5	1.5	30	4000	8500	30	11100	15000						
9953.3	TBP-C-14590	3	1.3	28	9903.3	9903.3	28	10003.3	10003.3						
9953.3	TBP-C-14591	4	1.29	28	9903.3	9903.3	28	10003.3	10003.3						
10000	TBP-L-15552	1	1.5	25	10	1000	25	22000	26000						
10070	TBP-C-14806	3	1.5	40	9745	9745	40	10395	10395						
10100	TBP-C-14882	2	1.8	1	8811	8811	1	11413	11413	60	10	7890			
10225	TBP-C-10120	1.4	1.6	60	8400	8400	60	12200	18000				2.525	0.745	0.6

# BANDPASS FILTERS

Center Frequency (MHz)	Part Number	Insertion Loss (dB)	VSWR (∞:1)	Rejection (dB) (1)	From (MHz) (1)	To (MHz) (1)	Rejection (dB) (2)	From (MHz) (2)	To (MHz) (2)	Rejection (dB) (3)	From (MHz) (3)	To (MHz) (3)	Size (L) (inches)	Size (W) (inches)	Size (D) (inches)
10240	TBP-C-14674	200	1.5	50	9790	9790	50	10720	10720						
10500	TBP-L-15115	3	1.5	40	8900	8900	40	12000	12000						
10525	TBP-L-14547	3	1.5	45	21000	21000									
10750	TBP-C-14666	1	1.5	60	10250	10250	60	11250	11250						
10750	TBP-L-15476	3	1.5	45	0	10250	45	11250	18000						
10900	TBP-L-14870	1	1.5	15	0	9400	15	12400	20000						
10900	TBP-L-14872	4	1.5	50	0	9400	50	12400	20000						
11100	TBP-W-15457	1	1.43	105	12950	12950							11.85	1.5	1.5
11250	TBP-L-15475	4	1.5	40	0	10750	40	11750	18000						
11380	TBP-L-14871	1	1.5	15	0	9880	15	12880	20000						
11380	TBP-L-14873	4	1.5	50	0	9880	50	12880	20000						
11484.55	TBP-C-14969	3	1.4	16	11469.55	11469.55	16	11499.55	11499.55						
11855	TBP-C-10121	1.4	1.6	60	9800	9800	60	14200	18000				2.335	0.71	0.6
12000	TBP-C-15249	1	1.2	45	0	7500	20	10670	10730	20	13270	13330			
12000	TBP-C-15252	1	1.2	40	11000	11000	40	13000	13000	60	13275	13295			
12000	TBP-L-15192	1.5	1.5	20	10	10600	20	13600	18000						
12070	TBP-C-14807	3	1.5	40	11740	11740	40	12395	12395						
12300	TBP-L-15319	2	1.5	45	9500	9500	30	15000	15000						
12500	TBP-C-14883	2	1.8	1	11187	11187	1	13837	13837	60	10	10050			
12500	TBP-L-14389	1	1.5	30	10500	10500	30	14500	14500						
12870	TBP-C-14805	3	1.5	40	12220	12220	40	13520	13520						
12950	TBP-W-15458	1	1.5	40	11500	11500							2	0.85	0.475
13075	TBP-C-10122	1.4	1.6	60	11600	11600	60	14700	18000				1.85	0.668	0.55
13125	TBP-L-15163	2.2	2	60	100	6000	40	20000	26000						
13285	TBP-C-15250	1	1.2	45	0	8500	30	10670	10730	25	16000	16000			
13285	TBP-C-15251	2.3	1.5	13	13135.6	13135.6	60	12145.7	12145.7	70	11155.7	11155.7			
13285	TBP-C-15435		1.2	30	10670	10730	25	16000	16000	45	20000	20000			
13575	TBP-C-10123	1.6	1.6	60	12200	12200	60	15100	18000				1.9	0.657	0.55
13803	TBP-L-10071	5	1.5	40	12800	12800	40	14700	14700				1.5	0.5	0.5
13850	TBP-C-15205	1.5	1.5	30	4000	12500	30	15000	19800						
14000	TBP-C-15551	2.5	1.5	45	10	6500	45	24400	26000						
14000	TBP-L-15166	2	2	60	100	8000	60	22000	26000						
14070	TBP-C-14803	3	1.5	40	13420	13420	40	14720	14720						
14125	TBP-W-15077	0.3	1.2	80	10950	10950	110	10950	12750	25	14800	14800	6	1.5	1.5
14300	TBP-W-15468	0.5	1.43	40	14157		40	14443	28000	60	143	12325	2.62	0.9	1.05
14500	TBP-C-10125	1.6	1.6	60	12700	12700	60	16500	18000				1.825	0.65	0.55
14590	TBP-W-14548	1.1	1.25	60	12400	14000	60	15150	18000				6.36	1.32	1.32
14900	TBP-C-14884	2	1.8	1	13563	13563	1	16261	16261	60	10	12210			
15000	TBP-C-15258	2	1.5	50	13980	13980									
15150	TBP-C-15206	1.5	1.5	30	4000	13700	30	16300	19800						

## BANDPASS FILTERS

Center Frequency (MHz)	Part Number	Insertion Loss (dB)	VSWR (∞:1)	Rejection (dB) (1)	From (MHz) (1)	To (MHz) (1)	Rejection (dB) (2)	From (MHz) (2)	To (MHz) (2)	Rejection (dB) (3)	From (MHz) (3)	To (MHz) (3)	Size (L) (inches)	Size (W) (inches)	Size (D) (inches)
15250	TBP-M-10639	4	1.925	65	18500		35	12000					1.02	1.339	0.378
15270	TBP-L-15270	3.5	1.5	50	2600	2600	50	3015	3015						
15570	TBP-C-14801	3	1.5	40	14270	14270	40	16870	16870						
15800	TBP-C-14575	2	1.5	50	15375	15375	60	14950	14950						
16021	TBP-C-14907	5.5	1.8	50	2000	15872	50	16171	16500						
16051.5	TBP-C-15336	1.5	1.5	60	15865	15865									
16250	TBP-L-10110	1	1.61	45	4600	12400									
16425	TBP-C-10928	3.1	1.5	40	16275	16275	40	16575	16575						
16450	TBP-C-15207	1.5	1.5	30	8000	15100	30	17600	21600						
16500	TBP-C-10126	1.6	1.6	60	13700	13700	60	19800	19800				2.01	0.623	0.55
16575	TBP-C-10927	3.1	1.5	40	16425	16425	40	16725	16725						
17000	TBP-L-15165	2.5	2	60	100	10000	60	24000	26000						
17360	TBP-L-15116	3	1.5	40	15500	15500	40	19000	19000						
17550	TBP-C-15208	1.5	1.5	30	8000	16300	30	18700	19800						
18070	TBP-C-14799	3	1.5	40	16770	16770	40	19370	19370						
20320	TBP-C-15385	1	1.5	55	0	11280	55	27000	33900						
21418.45	TBP-W-15000	3	1.43	16	21388.45	21388.45	16	21448.45	21448.45	30	21358.45	21358.45	1.995	1.1	0.5
23800	TBP-W-15195	4	1.5	40	23625	23625	40	23975	23975				4.5	0.88	0.88
24000	TBP-C-14821	1	1.5	60	22900	22900	60	25100	25100						
27140	TBP-W-15384	2.5	1.5	70	25000	25700	60	25900	26700	50	30000	40000	2.25	0.75	0.5
27525	TBP-W-14371	1.5	1.5	50	17875	26000	20	27850	28150	40	29750	32425	3.11	1.2	0.78
27600	TBP-W-14373	1.5	1.3	50	18125	26200	20	28100	28350	40	30000	32625	3.11	1.2	0.78
27675	TBP-W-14369	1.5	1.3	50	18025	26150	20	28000	28350	40	29900	32575	3.1	0.78	0.75
27850	TBP-W-14372	1.5	1.3	20	27350	27700	50	18375	26450	40	30250	32875	3.11	1.2	0.78
28175	TBP-W-14370	1.5	1.3	20	27500	27850	50	18525	26650	40	30400	33075	3.11	1.2	0.78
28275	TBP-W-14374	1.5	1.3	20	27600	27900	50	18625	26650	40	30500	33075	3.11	1.2	0.78
28600	TBP-W-15469	1	1.43	40	14300	28100	40	29100	42900	60	11550	24650	1.525	0.75	0.75
29100	TBP-C-14820	1	1.5	60	26800	26800	60	31600	31600	130	24000	24000			
29100	TBP-C-14820	1.5	1.5	60	26800		60	31600		100	24000		4.4	0.9	0.55
31400	TBP-W-15196	4.5	1.5	40	31283	31283	40	31517	31517				6.25	0.75	0.75
32050	TBP-W-15043	2	1.65	30	30000	30000	30	34000	34000				3.1	0.78	0.78
35000	TBP-C-15300	3	1.67	60	29000		60	41000					4.33	0.86	0.512
36500	TBP-C-15300	2	1.5	70	31000	31000	50	42000	42000						
38500	TBP-C-15299	2	1.5	70	20000	20000	70	55000	55000						
39125	TBP-W-14376	1.5	1.3	50	29475	37950	45	39650	44100				3.6	0.78	0.78
42836.9	TBP-W-15001	6	1.3	28	42621.9	42621.9	28	43051.9	43051.9				0.95	0.675	0.5